

SJB-TK[®] SERIES

Skyjack takes you to the next level with the dynamic SJB-TK Series... the industry's only boom to include both telescopic and knuckle functions, offering unsurpassed versatility. And as if that was not enough... Skyjack's "TK" Series stands alone as the only telescopic knuckle boom that permits access to work obstacles below elevations to 11m. Skyjack's SJB-TK Series - the ultimate solution to your most challenging applications.



Optional Feature: Exclusive rotating jib option increases reach to work around obstacles. The rotating jib is capable of a 90° turn in either direction from centre.


SJB-46TK[®]

POWERFUL. VERSATILE. EFFICIENT.

The 46TK is capable of 360° continuous turret rotation and is driveable at full height. Standard features include; a 1.52m hydraulic jib, a 1.83m platform with 272kg unrestricted platform capacity and a 16m work height above elevation (-6.4m below elevation). Designed to tackle even the roughest terrain, the energy efficient drive system overcomes almost any obstacle.

**LAS PLANT LTD 20 LOTLAND ST.
INVERNESS IV1 1ST. TEL. 236545**


Model shown: SJB-46TK-RJ with rotating jib.



Unique to the SJB-46TK is the pendulum weight mechanism that transfers and distributes weight regardless of boom function or position.



SJ46



Working height	16.00m
Platform height	14.00m
Outreach	12.19m
Platform size	0.76 x 1.83m
SWL-high	227kg
Power	Diesel
Rotation	Continuous
Closed height	2.46m
Closed width	2.44m
Closed length	8.46m
Weight	8,482kg
Reach at -0 elevation	-6.40m